Index of Authors

ADAMSON, M. L. Ultrastructural observations on oogenesis and shell formation in *Gyrinicola batrachiensis* (Walton, 1929) (Nematoda: Oxyurida), 489

AL-ATTAR, M. A. *See* FERNANDO, M. A.

ALI, J. H. and RILEY, J. Experimental life-cycle studies of *Raillietiella gehyrae* Bovien, 1927 and *Raillietiella frenatus* Ali, Riley and Self, 1981: pentastomid parasites of geckos utilizing insects as intermediate hosts, 147

ALLEN, J. R. *See* PAINE, S. H.

ALTAIF, K. I. and ISSA, W. H. Seasonal fluctuations and hypobiosis of gastro-intestinal nematodes of Awassi lambs in Iraq, 301

ARME, C. *See* RICHARDS, K. SYLVIA

BALLINGALL, S. *See* MCDONALD, V.

BAMBER, R. N. *See* EVANS, N. A.

BLAND, A. P. *See* BURDEN, D. J.

BRIDGES, JANINE F. *See* RICHARDS, K. SYLVIA

BUNNAG, D. *See* SIRISINHA, S.

BURDEN, D. J., BLAND, A. P., HUGHES, D. L. and HAMMET, N. C. *Fasciola hepatica*: development of the tegument of normal and γ-irradiated flukes during infection in rats and mice, 137

CHARD, M. J. *See* NORTON, C. C.

COOMBS, G. H. and NORTH, M. J. An analysis of the proteinases of *Trichomonas vaginalis* by polyacrylamide gel electrophoresis, 1

CROMPTON, D. W. T., KEYMER, ANNE, SINGHVI, A. and NESHEIM, M. C. Rat-dietary fructose and the intestinal distribution and growth of *Moniliformis* (Acanthocephala), 57

CROMPTON, D. W. T. *See* KEYMER, ANNE.

DEAN, D. A. *See* GEORGI, JAY R.

DENHAM, D. A., MCGREEVY, P. B., SUSWILLO, R. R. and ROGERS, ROSEMARY. The resistance to re-infection of cats repeatedly inoculated with infective larvae of *Brugia pahangi*, 11

DOENHOFF, M. J. *See* HARRISON, R. A.

DOLAN, T. T. *See* STAGG, D. A.

DOLAN, T. T. *See* YOUNG, A. S.

DUBEY, J. P. Microgametogony of *Sarcocystis hirsuta* in the intestine of the cat, 7

DYKOVÁ, IVA. *See* LOM, JIŘÍ

EARLE, CELIA M. *See* TINSLEY, R. C.

ERASMUS, D. A. *See* SHAW, M. K.

ESPIN, P. M. *See* EVANS, N. A.

EVANS, N. A., WHITFIELD, P. J., BAMBER, R. N. and ESPIN, P. M. *Lernaeocera lusci* (Copepoda: Pennellidae) on bib (*Trisopterus luscus*) from Southampton Water, 161

FAIRWEATHER, I. and THREADGOLD, L. T. *Hymenolepis nana*: the fine structure of the adult nervous system, 89

FERNANDO, M. A., LAWN, A. M., ROSE, M. ELAINE and AL-ATTAR, M. A. Invasion of chick caecal and intestinal lamina propria by crypt epithelial cells infected with coccidia, 391

FUJINO, T., HIGO, H. and ISHII, Y. Histochemical studies of glycosidase activity in juveniles and adults of the lung fluke *Paragonimus*, 110

GEORGI, JAY R., DEAN, D. A. and MANGOLD, BEVERLY L. *Schistosoma mansoni*: temporal distribution of radioselenium-labelled schistosomula in lungs of mice during the first two weeks of infection, 31

GORE, T. C. *See* KOGUT, M. H.

GROOTENHUIS, J. G. *See* STAGG, D. A.

HAMMET, N. C. *See* BURDEN, D. J.

HARRISON, R. A. and DOENHOFF, M. J. Retarded development of *Schistosoma mansoni* in immunosuppressed mice, 429
HIGO, H. *See* FUJINO, T.
HINDSBO, O. The effect of temperature on the survival and infectivity of the free-living larvae of *Nippostrongylus brasiliensis*, 105
HOOLE, D. and MITCHELL, J. B. *Gorgoderina vitelliloba*: an ultrastructural study on the development of the tegument from the metacercaria to the adult fluke, 323
HUGHES, D. L. *See* BURDEN, D. J.

INCANI, R. N. and MCLAREN, DIANE J. Ultrastructural observations on the *in vitro* interaction of rat neutrophils with schistosomula of *Schistosoma mansoni* in the presence of antibody and/or complement, 345
ISHII, Y. *See* FUJINO, T.
ISSA, W. H. *See* ALTAIF, K. I.

JAP, P. H. K. *See* MEIS, J. F. G. M.
JENKINS, S. N. and WAKELIN, D. Functional antigens of *Trichuris muris* released during *in vitro* maintenance: their immunogenicity and partial purification, 73
JONES, JANET T., MCCAFFERY, D. M. and KUSEL, J. R. The influence of the H-2 complex on responses to infection by *Schistosoma mansoni* in mice, 19
JOYNER, L. P. and NORTON, C. C. *Eimeria mitis* in mixed infections with *E. acervulina* and *E. brunetti* in the fowl, 381

KAWAMURA, H. *See* TANAKA, K.
KEMP, D. H. *See* PAINE, S. H.
KEYMER, ANNE, CROMPTON, D. W. T. and WALTERS, D. E. *Nippostrongylus* (Nematoda) in protein-malnourished rats: host mortality, morbidity and rehabilitation, 461
KEYMER, ANNE, CROMPTON, D. W. T. and SAHAKIAN, B. J. Parasite-induced learned taste aversion involving *Nippostrongylus* in rats, 455
KEYMER, ANNE. *See* CROMPTON, D. W. T.
KNOPF, P. M., MANGOLD, BEVERLY L. and MAKARI, G. J. Recovery of parasites at different stages of migration following infection of rats with *Schistosoma mansoni*, 37
KOGUT, M. H., GORE, T. C. and LONG, P. L. Serial passage of *Eimeria tenella* and *E. necatrix* in turkey embryos, 199
KUMAZAWA, H. and SUZUKI, N. Kinetics of proglottid formation, maturation and shedding during development of *Hymenolepis nana*, 275
KUSEL, J. R. *See* JONES, JANET T.

LAINSON, F. A. Observations on the morphology and electrophoretic variation of enzymes of the rodent malaria parasites of Cameroon, *Plasmodium yoelii*, *P. chabaudi* and *P. vinckei*, 221
LAWN, A. M. *See* FERNANDO, M. A.
LEE, D. L. and NICHOLLS, C. D. The use of plasma etching to reveal the internal structure of *Nippostrongylus brasiliensis* (Nematoda), 477
LEE, D. L. *See* MARTIN, JEAN.
LEITCH, B. L. *See* STAGG, D. A.
LEITCH, B. L. *See* YOUNG, A. S.
LOM, JIŘÍ, DYKOVÁ, IVA and PAVLÁSKOVÁ, MILENA. *Sphaerospora molnari* sp.nov. (Myxozoa: Myxosporea), and agent of gill, skin and blood sphaerosporosis of common carp in Europe, 529
LONG, P. L. *See* KOGUT, M. H.
LOVERDE, P. T. *See* MINCHELLA, D. J.

MAKARI, G. J. *See* KNOPF, P. M.
MANGOLD, BEVERLY L. *See* GEORGI, JAY R.
MANGOLD, BEVERLY L. *See* KNOPF, P. M.
MARTIN, JEAN and LEE, D. L. *Nematodirus battus*: structure of the body wall of the adult, 481
MCCAFFERY, D. M. *See* JONES, JANET T.

McDONALD, V. and BALLINGALL, S. Attenuation of *Eimeria mivati* (= *mitis*) by selection for precocious development, 371
McDONALD, V. and BALLINGALL, S. Further investigation of the pathogenicity, immunogenicity and stability of precocious *Eimeria acervulina*, 361
McGREEVY, P. B. *See* DENHAM, D. A.
McLAREN, DIANE J. *See* INCANI, R. N.
MEIS, J. F. G. M., VERHAVE, J. P., JAP, P. H. K. and MEUWISSEN, J. H. E. TH. An ultrastructural study of the role of Kupffer cells in the process of infection by *Plasmodium berghei* sporozoites in rats, 231
MEUWISSEN, J. H. E. TH. *See* MEIS, J. F. G. M.
MINCHELLA, D. J. and LOVERDE, P. T. Laboratory comparison of the relative success of *Biomphalaria glabrata* stocks which are susceptible and insusceptible to infection with *Schistosoma mansoni*, 335
MITCHELL, J. B. *See* HOOLE, D.
MIYACHI, Y. *See* TANAKA, K.
MIYOSHI, A. *See* TANAKA, K.
MOLOO, S. K. Feeding behaviour of *Glossina morsitans morsitans* infected with *Trypanosoma vivax*, *T. congolense* or *T. brucei*, 51

NEAL, R. A. Experimental amoebiasis and the development of anti-amoebic compounds, 175
NESHEIM, M. C. *See* CROMPTON, D. W. T.
NEWSON, R. M. *See* YOUNG, A. S.
NICHOLLS, C. D. *See* LEE, D. L.
NGUMI, P. N. *See* YOUNG, A. S.
NORTH, M. J. *See* COOMBS, G. H.
NORTON, C. C. and CHARD, M. J. The oocyst sporulation time of *Eimeria* species from the fowl, 193
NORTON, C. C. *See* JOYNER, L. P.

OMWOYO, P. L. *See* YOUNG, A. S.

PAINE, S. H., KEMP, D. H. and ALLEN, J. R. *In vitro* feeding of *Dermacentor andersoni* (Stiles): effects of histamine and other mediators, 419
PAVLÁSKOVÁ, MILENA. *See* LOM, JIŘÍ
PIPANO, E. *See* SAMISH, M.

RAU, M. E. Establishment and maintenance of behavioural dominance in male mice infected with *Trichinella spiralis*, 319
RAU, M. E. The open-field behaviour of mice infected with *Trichinella spiralis*, 311
RICHARDS, K. SYLVIA and ARME, C. The rostellar tegumentary cytoplasm of the metacestode of *Hymenolepis diminuta* (Cyclophyllidea: Cestoda), 83
RICHARDS, K. SYLVIA, ARME, C. and BRIDGES, JANINE F. *Echinococcus granulosus equinus*: an ultrastructural study of murine tissue response to hydatid cysts, 407
RICHARDS, K. SYLVIA, ARME, C. and BRIDGES, JANINE F. *Echinococcus granulosus equinus*: an ultrastructural study of the laminated layer, including changes on incubating cysts in various media, 399
RILEY, J. *See* ALI, J. H.
ROGERS, ROSEMARY. *See* DENHAM, D. A.
ROSE, M. ELAINE. *See* FERNANDO, M. A.

SAHAKIAN, B. J. *See* KEYMER, ANNE.
SAMISH, M. and PIPANO, E. Transmission of *Theileria annulata* (Dschunkowsky & Luhs, 1904) by *Hyalomma excavatum* (Koch, 1844), 269
SHAW, M. K. and ERASMUS, D. A. *Schistosoma mansoni*: changes in elemental composition in relation to the age and sexual status of the worms, 439
SHERMAN, I. W. and TANIGOSHI, LINDA. Stage-specific proteins of the avian malaria *Plasmodium lophurae*, 211
SHIMURA, S. Seasonal occurrence, sex ratio and site preference of *Argulus coregoni* Thorell (Crustacea: Branchiura) parasitic on cultured freshwater salmonids in Japan, 537

SINGHVI, A. *See* CROMPTON, D. W. T.
SIRISINHA, S., TUTI, S., TAWATSIN, A., VICHASRI, S., UPATHAM, S. and BUNNAG, D. Attempts to induce protective immunity in hamsters against infection by a liver fluke of man (*Opisthorchis viverrini*), 127
STAGG, D. A., YOUNG, A. S., LEITCH, B. L., GROOTENHUIS, J. G. and DOLAN, T. T. Infection of mammalian cells with *Theileria* species, 243
STAGG, D. A. *See* YOUNG, A. S.
SUSWILLO, R. R. *See* DENHAM, D. A.
SUZUKI, N. *See* KUMAZAWA, H.

TANAKA, K., KAWAMURA, H., TOHGI, N., TSUJI, M., MIYACHI, Y. and MIYOSHI, A. The measurement of *Ascaris suum* protein by radioimmunoassay in sera from patients with helminthiasis and with gastrointestinal diseases, 291
TANIGOSHI, LINDA. *See* SHERMAN, I. W.
TAWATSIN, A. *See* SIRISINHA, S.
THREADGOLD, L. T. *See* FAIRWEATHER, I.
TINSLEY, R. C. and EARLE, CELIA M. Invasion of vertebrate lungs by the polystomatid monogeneans *Pseudodiplorchis americanus* and *Neodiplorchis scaphiopodis*, 501
TOHGI, N. *See* TANAKA, K.
TSUJI, M. *See* TANAKA, K.
TUTI, S. *See* SIRISINHA, S.

UPATHAM, S. *See* SIRISINHA, S.

VERHAVE, J. P. *See* MEIS, J. F. G. M.
VICHASRI, S. *See* SIRISINHA, S.

WAKELIN, D. *See* JENKINS, S. N.
WALTERS, D. E. *See* KEYMER, ANNE.
WHITFIELD, P. J. *See* EVANS, N. A.

YOUNG, A. S., LEITCH, B. L., DOLAN, T. T., NEWSON, R. M., NGUMI, P. N. and OMWOYO, P. L. Transmission of *Theileria parva* by a population of *Rhipicephalus appendiculatus* under simulated natural conditions, 255
YOUNG, A. S., LEITCH, B. L., STAGG, D. A. and DOLAN, T. T. Identification of *Theileria* infections in living salivary glands of ticks, 519
YOUNG, A. S. *See* STAGG, D. A.

Index of Subjects

Amoebicides, an account of the development of, 175
Anti-amoebic compounds, development of, 175
Antibody-coated schistosomula, interaction of rat neutrophils with, 345
Antigens, immunogenicity and partial purification of from *Trichuris muris*, 73
Argulus coregoni, seasonal occurrence, sex ratio and site preference of, 537
Ascaris suum, measurement of protein from by radioimmunoassay, 291
Attenuation, of *Eimeria mivati*, 371
Autoradiography, use of to assess temporal distribution of schistosomula, 31
Awassi lambs, seasonal fluctuations and hypobiosis of gastro-intestinal nematodes of, 301

Behaviour, of mice infected with *Trichinella spiralis*, 311
Behavioural dominance, establishment of in *Trichinella spiralis*-infected mice, 319
Bib, *Lernaeocera lusci* parasitic on, 161
  positive association between simultaneous infection of by *Lernaeocera lusci* and *Cryptocotyle lingua*, 161
Biomphalaria glabrata, susceptibility of to *Schistosoma mansoni* effects reproductive success, 335
Body wall, structure of in *Nematodirus battus*, 481
Brugia pahangi, resistance of cats to re-infection by, 11

Cloning, of *Theileria* parasites from infected tick salivary glands, 519

Dermacentor andersoni, effects of histamine and serotonin on the *in vitro* feeding of, 419
Development, changes in elemental composition during, in *Schistosoma mansoni*, 439
  of anti-amoebic compounds, 175
  of microgamonts of *Sarcocystis hirsuta* in the intestine of the cat, 7
  of *Schistosoma mansoni* in immunosuppressed mice, 429
  of the tegument from metaceraria to adult fluke in *Gorgoderina vitelliloba*, 323
Dietary fructose, effect of on the intestinal distribution and growth of *Moniliformis dubius* in rats, 57
Distribution, of schistosomula of *Schistosoma mansoni* by autoradiography, 31

Echinococcus granulosus equinus, an ultrastructural study of the laminated layer of, 399
  murine tissue response to the hydatid cysts of, 407
Ecological study, of *Argulus coregoni* in Japan, 537
Eimeria acervulina, mixed infections of with *E. mitis* and *E. brunetti* in the fowl, 381
  studies on precocious forms of, 361
Eimeria brunetti, mixed infections of with *E. acervulina* and *E. mitis* in the fowl, 381
Eimeria mitis, mixed infections of with *E. acervulina* and *E. brunetti* in the fowl, 381
Eimeria mivati, attenuation of, 371
Eimeria necatrix, serial passage of in turkey embryos, 199
Eimeria tenella, serial passage of in turkey embryos, 199
Eimeria spp., oocyst sporulation time of, 193
Electrophoresis, analysis of the proteinases of *Trichomonas vaginalis* by, 1
Elemental composition, of *Schistosoma mansoni* in relation to age and sexual status, 439
Enzymes, analysis of from *Trichomonas vaginalis*, 1
  electrophoretic mobility of in Cameroon *Plasmodium* spp., 221
Epithelial cells, infection of by coccidia, 391

Fasciola hepatica, histochemical examination of, 119
  tegumental development of, 137
Feeding, of *Dermacentor andersoni*, effects of histamine and serotonin on *in vitro*, 419
Feeding behaviour, of *Glossina morsitans morsitans* during infection with *Trypanosoma* spp., 51
Free-living larvae, effect of temperature on in *Nippostrongylus brasiliensis*, 105
Fructose, effect of in the diet of *Moniliformis dubius*-infected rats, 57

Gastro-intestinal nematodes, seasonal fluctuations and hypobiosis of, 301
Genetic background, influences the effect of the H-2 complex on responses to infection in mice, 19
Genetic insusceptibility, effects reproductive success of *Biomphalaria glabrata*, 335
***Glossina morsitans morsitans*, the feeding behaviour of during infection with *Trypanosoma* spp., 51**
Glycosidases, histochemical studies of in *Paragonimus* spp., 119
***Gorgoderina vitelliloba*, an ultrastructural study of tegumental development in, 323**
***Gyrinicola batrachiensis*, oogenesis and shell formation in, 489**

H-2 haplotype, effect of on schistosomiasis in mice, 19
Helminthiasis, a possible screening method for, using radioimmunoassay, 291
Histamine, effect of on the *in vitro* feeding of *Dermacentor andersoni*, 419
Histochemistry, of glycosidases in *Paragonimus* spp., 119
Host behaviour, parasite-associated changes in, 311
Host nutrition, synergistic effect of with *Nippostrongylus brasiliensis* infection in rats, 461
***Hyalomma excavatum*, transmission of *Theileria annulata* by, 269**
Hydatid cysts, of *Echinococcus granulosus equinus*, murine tissue response to, 407
***Hymenolepis diminuta*, the rostellar tegumentary cytoplasm of the metacestode of, 83**
***Hymenolepis nana*, fine structure of the adult nervous system of, 89**
kinetics of proglottid formation in, 275
Hypobiosis, of gastro-intestinal nematodes in Awassi lambs, 301

Immunity, attempts to induce in hamsters, against *Opisthorchis viverrini*, 127
Immunization, of mice against *Trichuris muris*, using partially purified exo-antigen, 73
Immunogenicity, of precocious forms of *Eimeria acervulina*, 361
of turkey embryo-adapted *Eimeria* spp., 199
Immunosuppression, effects of on development of *Schistosoma mansoni*, 429
Interference contrast microscopy, use of in cloning *Theileria* parasites from infected tick salivary glands, 519
Internal structure, of *Nippostrongylus brasiliensis* as revealed by plasma etching, 477
Invasion, of lamina propria by coccidia-infected crypt epithelial cells, 391
of vertebrate lungs by polystomatid monogeneans, 501
γ-Irradiation, the effect of on the development of the tegument of *Fasciola hepatica*, 137

Kinetics, of the proglottids of *Hymenolepis nana*, 275
Kupffer cells, role of during infection of rats by *Plasmodium berghei* sporozoites, 231

Lamina propria, invasion of by coccidia-infected crypt epithelial cells, 391
Laminated layer, an ultrastructural study of in *Echinococcus granulosus equinus* cysts, 399
Learned taste aversion, induced in rats by *Nippostrongylus brasiliensis*, 455
***Lernaeocera lusci*, parasitic on bib from Southampton Water, 161**
Leucocytes, infection by *Theileria* sporozoites, 243
Life-cycle, experimental studies of in *Raillietiella* spp., 147
Liver fluke, attempts to induce protective immunity against, 127

Malnutrition, synergistic effect of with *Nippostrongylus brasiliensis* infection in rats, 461
Maturation, of the proglottids of *Hymenolepis nana*, 275
Merozoites, morphological changes caused by in coccidia-infected crypt epithelial cells, 391
Metacestode, properties of the rostellar tegumentary cytoplasm of, 83
Microfilariae, the fate of in cats repeatedly infected with *Brugia pahangi*, 11
Microgametogenesis, of *Sarcocystis hirsuta* in the intestine of the cat, 7
Migration, recovery of *Schistosoma mansoni* at different stages of, 37
Mixed infections, of avian coccidia, 381
***Moniliformis dubius*, effect of rat-dietary fructose on the growth and distribution of, 57**
Morphology, changes of in crypt epithelial cells infected by coccidial merozoites, 391
of *Plasmodium* spp. from Cameroon, 221
of the surface of the body wall of *Nematodirus battus*, 481

Nematodirus battus, structure of the body wall of, 481
Neodiplorchis scaphiopodis, invasion of vertebrate lungs by, 501
Nervous system, a description of for the scolex and neck region of *Hymenolepis nana*, 89
Neuroanatomy, a description of in the scolex and neck region of *Hymenolepis nana*, 89
Neutrophils, interaction of with schistosomula, 345
New species, a description of *Sphaerospora molnari* sp.nov. from the common carp, 529
Nippostrongylus brasiliensis, effect of on learned taste aversion in infected rats, 455
  effect of temperature on the free-living larvae of, 105
  in protein-malnourished rats, 461
  the internal structure of, as revealed by plasma etching, 477

Oocysts, sporulation time of in *Eimeria* spp., 193
Oogenesis, in *Gyrinicola batrachiensis*, 489
Opisthorchis viverrina, protective immunity against, in hamsters, 127

Paragonimus spp., histochemistry of the glycosidase activity in, 119
Pathogenicity, of precocious forms of *Eimeria acervulina*, 361
  of *Sphaerospora molnari* sp.nov., 529
  of turkey embryo-adapted *Eimeria* spp., 199
Plasma etching, use of for studying the internal structure of nematodes, 477
Plasmodium berghei, role of Kupffer cells during infection of rats by, 231
Plasmodium lophurae, stage-specific proteins of, 211
Plasmodium spp., characteristics of from Cameroon, 221
Precocious development, selection for attenuates *Eimeria mivati*, 371
Prevalence, of *Sphaerospora molnari* sp.nov., 529
Proglottid formation, kinetics of in *Hymenolepis nana*, 275
Proteinases, analysis of from *Trichomonas vaginalis*, 1
Protein-malnourished rats, as hosts for *Nippostrongylus brasiliensis*, 461
Pseudodiplorchis americanus, invasion of vertebrate lungs by, 501

Radioimmunoassay, measurement of *Ascaris suum* protein by, 291
Raillietiella frenatus, the life-cycle of, 147
Raillietiella gehyrae, the life-cycle of, 147
Recovery, of *Schistosoma mansoni* at different stages of migration, 37
Reproductive success, of *Biomphalaria glabrata* of differing susceptibility, 335
Resistance of cats to re-infection with *Brugia pahangi*, 11
Retarded development, of *Schistosoma mansoni* in immunosuppressed mice, 429
Rhipicephalus appendiculatus, transmission of *Theileria parva* by, 255
Rodent malaria, characteristics of in the Cameroon, 221
  implications of the interaction between sporozoites and Kupffer cells in, 231
Rostellar tegument, properties of in the metacestode of *Hymenolepis diminuta*, 83

Sarcocystis hirsuta, microgametogony of, 7
Schistosoma mansoni, adherence of rat peritoneal neutrophils to, *in vitro*, 345
  distribution of the schistosomula of by autoradiography, 31
  effect of H-2 complex on responses to infection by in mice, 19
  effect of susceptibility to on reproductive success of *Biomphalaria glabrata*, 335
  elemental composition of, 439
  recovery of at different stages of migration, 37
  retarded development of in immunosuppressed mice, 429
Schistosomiasis, effect of H-2 haplotype on in mice, 19
Schistosomula, *in vitro* damage of by neutrophils, 345
  recovery of at different stages of migration, 37
  temporal distribution of, as assessed by autoradiogaphy, 31
Schizont stage-specific protein, detection of in *Plasmodium lophurae*, 211
Seasonal fluctuations, of gastro-intestinal nematodes in Awassi lambs, 301
Seasonal occurrence, of *Argulus coregoni*, 537
Secretory exo-antigen, partial purification of from *Trichuris muris*, 73

Sensory receptors, observations of in the scolex and neck region of *Hymenolepis nana*, 89
Serotonin, effect of on the *in vitro* feeding of *Dermacentor andersoni*, 419
Shell formation, in *Gyrinicola batrachiensis*, 489
Social status, effect of *Trichinella spiralis* infection on in mice, 319
Sphaerospora molnari sp.nov., characterization of from European common carp, 529
Sporozoites, detection of in the salivary glands from *Theileria*-infected ticks, 519
interaction of with Kupffer cells during *Plasmodium berghei* infection of rats, 231
in vitro infection of mammalian leucocytes by, 243
Sporulation time, of *Eimeria* spp. oocysts, 193
Stability, of precocious forms of *Eimeria acervulina*, 361
Stage-specific proteins, the occurrence of in *Plasmodium lophurae*, 211
Survival, effect of temperature on for the free-living larvae of *Nippostrongylus brasiliensis*, 105
Susceptibility, of mammalian cells to *Theileria* spp. in vitro, 243

Taste aversion, induced in rats by *Nippostrongylus brasiliensis*, 455
Tegument, development of in *Fasciola hepatica*, 137
ultrastructural study of in developing *Gorgoderina vitelliloba*, 323
Tegumental cytoplasm, of the rostellar region of *Hymenolepis diminuta*, 83
Temperature, effect of on survival and infectivity of *Nippostrongylus brasiliensis*, 105
Theileria annulata, transmission of by *Hyalomma excavatum*, 269
Theileria parva, transmission of, under simulated natural conditions, 255
Theileria spp., identification of in living salivary glands of ticks, 519
infection of mammalian cells with, 243
Tissue response, to the hydatid cysts of *Echinococcus granulosus equinus* in mice, 407
Transmission, of *Theileria annulata* by *Hyalomma excavatum*, 269
of *Theileria parva* under simulated natural conditions, 255
Trichuris muris, partial purification of the secretory exo-antigen from, 73
Trichinella spiralis, effect of on male dominance in infected mice, 319
the open-field behaviour of mice infected with, 311
Trichomonas vaginalis, analysis of the proteinases of, 1
Trisopterus luscus, infection of by *Lernaeocera lusci*, 161
Trophozoite stage-specific protein, detection of in *Plasmodium lophurae*, 211
Trypanosoma spp., effect of infection by on the feeding behaviour of *Glossina morsitans morsitans*, 51

Ultrastructural study, of the murine tissue response to hydatid cysts of *Echinococcus granulosus equinus*, 407
Ultrastructural studies, on oogenesis and shell formation in *Gyrinicola batrachiensis*, 489
of the body wall of *Nematodirus battus*, 481
of the developing tegument of γ-irradiated and normal *Fasciola hepatica*, 137
of the laminated layer of *Echinococcus granulosus equinus* cysts, 399
of the tegument of *Gorgoderina vitelliloba* during development, 323

PARASITOLOGY

PARASITOLOGY

(*Founded by G. H. F. Nuttall, F.R.S.*)

EDITORS

F. E. G. COX *and* P. J. WHITFIELD

EDITORIAL ASSISTANT

M. ELISABETH PAINTER, Ph.D.

ADVISORY BOARD

L. G. GOODWIN, F.R.S. (*Chairman*)

R. ANDERSON	D. I. GIBSON	J. H. ROSE
D. R. ARTHUR	L. P. JOYNER	J. F. RYLEY
J. R. BAKER	C. R. KENNEDY	G. SALT, F.R.S.
J. BARRETT	ANN M. LACKIE	S. R. SMITHERS
ELIZABETH U. CANNING	D. L. LEE*	K. VICKERMAN
L. H. CHAPPELL	R. J. LINCOLN	D. WAKELIN
S. COHEN, F.R.S.	J. LLEWELLYN	P. F. V. WARD
R. R. A. COOMBS, F.R.S.	S. H. P. MADDRELL, F.R.S.	H. H. WILLIAMS
G. A. M. CROSS	BRIDGET M. OGILVIE	R. A. WILSON
D. A. ERASMUS	M. ELAINE ROSE	C. A. WRIGHT

* Representing the British Society for Parasitology

VOLUME 86, 1983

CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE

LONDON NEW YORK NEW ROCHELLE

MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press, 1983

Printed in Great Britain at the
University Press, Cambridge

CONTENTS

(*All rights reserved*)

PART 1 FEBRUARY 1983

PAGE

COOMBS, G. H. and NORTH, M. J. An analysis of the proteinases of *Trichomonas vaginalis* by polyacrylamide gel electrophoresis 1

DUBEY, J. P. Microgametogony of *Sarcocystis hirsuta* in the intestine of the cat 7

DENHAM, D. A., MCGREEVY, P. B., SUSWILLO, R. R. and ROGERS, ROSEMARY. The resistance to re-infection of cats repeatedly inoculated with infective larvae of *Brugia pahangi* 11

JONES, JANET T., MCCAFFERY, D. M. and KUSEL, J. R. The influence of the H-2 complex on responses to infection by *Schistosoma mansoni* in mice 19

GEORGI, JAY R., DEAN, D. A. and MANGOLD, BEVERLY L. *Schistosoma mansoni:* temporal distribution of radioselenium-labelled schistosomula in lungs of mice during the first two weeks of infection 31

KNOPF, P. M., MANGOLD, BEVERLY L. and MAKARI, G. J. Recovery of parasites at different stages of migration following infection of rats with *Schistosoma mansoni* 37

MOLOO, S. K. Feeding behaviour of *Glossina morsitans morsitans* infected with *Trypanosoma vivax*, *T. congolense* or *T. brucei*. 51

CROMPTON, D. W. T., KEYMER, ANNE, SINGHVI, A. and NESHEIM, M. C. Rat-dietary fructose and the intestinal distribution and growth of *Moniliformis* (Acanthocephala) 57

JENKINS, S. N. and WAKELIN, D. Functional antigens of *Trichuris muris* released during *in vitro* maintenance: their immunogenicity and partial purification 73

RICHARDS, K. SYLVIA and ARME, C. The rostellar tegumentary cytoplasm of the metacestode of *Hymenolepis diminuta* (Cyclophyllidea: Cestoda) 83

FAIRWEATHER, I. and THREADGOLD, L. T. *Hymenolepis nana*: the fine structure of the adult nervous system 89

HINDSBO, O. The effect of temperature on the survival and infectivity of the free-living larvae of *Nippostrongylus brasiliensis* 105

FUJINO, T., HIGO, H. and ISHII, Y. Histochemical studies of glycosidase activity in juveniles and adults of the lung fluke *Paragonimus* . . 119

SIRISINHA, S., TUTI, S., TAWATSIN, A., VICHASRI, S., UPATHAM, S. and BUNNAG, D. Attempts to induce protective immunity in hamsters against infection by a liver fluke of man (*Opisthorchis viverrini*) 127

BURDEN, D. J., BLAND, A. P., HUGHES, D. L. and HAMMET, N. C. *Fasciola hepatica:* development of the tegument of normal and γ-irradiated flukes during infection in rats and mice 137

ALI, J. H. and RILEY, J. Experimental life-cycle studies of *Raillietiella gehyrae* Bovien, 1927 and *Raillietiella frenatus* Ali, Riley and Self, 1981: pentastomid parasites of geckos utilizing insects as intermediate hosts 147

EVANS, N. A., WHITFIELD, P. J., BAMBER, R. N. and ESPIN, P. M. *Lernaeocera lusci* (Copepoda: Pennellidae) on bib (*Trisopterus luscus*) from Southampton Water 161

Trends and Perspectives

NEAL, R. A. Experimental amoebiasis and the development of anti-amoebic compounds 175

PART 2 APRIL 1983

NORTON, C. C. and CHARD, M. J. The oocyst sporulation time of *Eimeria* species from the fowl 193

KOGUT, M. H., GORE, T. C. and LONG, P. L. Serial passage of *Eimeria tenella* and *E. necatrix* in turkey embryos 199

SHERMAN, I. W. and TANIGOSHI, LINDA. Stage-specific proteins of the avian malaria *Plasmodium lophurae* 211

LAINSON, F. A. Observations on the morphology and electrophoretic variation of enzymes of the rodent malaria parasites of Cameroon, *Plasmodium yoelii*, *P. chabaudi* and *P. vinckei*. 221

MEIS, J. F. G. M., VERHAVE, J. P., JAP, P. H. K. and MEUWISSEN, J. H. E. TH. An ultrastructural study of the role of Kupffer cells in the process of infection by *Plasmodium berghei* sporozoites in rats . . 231

STAGG, D. A., YOUNG, A. S., LEITCH, B. L., GROOTENHUIS, J. G. and DOLAN, T. T. Infection of mammalian cells with *Theileria* species . . 243

YOUNG, A. S., LEITCH, B. L., DOLAN, T. T., NEWSON, R. M., NGUMI, P. N. and OMWOYO, P. L. Transmission of *Theileria parva* by a population of *Rhipicephalus appendiculatus* under simulated natural conditions . . 255

SAMISH, M. and PIPANO, E. Transmission of *Theileria annulata* (Dschunkowsky & Luhs, 1904) by *Hyalomma excavatum* (Koch, 1844) . . . 269

KUMAZAWA, H. and SUZUKI, N. Kinetics of proglottid formation, maturation and shedding during development of *Hymenolepis nana* . . . 275

TANAKA, K., KAWAMURA, H., TOHGI, N., TSUJI, M., MIYACHI, Y. and MIYOSHI, A. The measurement of *Ascaris suum* protein by radioimmunoassay in sera from patients with helminthiasis and with gastrointestinal diseases 291

ALTAIF, K. I. and ISSA, W. H. Seasonal fluctuations and hypobiosis of gastrointestinal nematodes of Awassi lambs in Iraq 301

RAU, M. E. The open-field behaviour of mice infected with *Trichinella spiralis* 311

RAU, M. E. Establishment and maintenance of behavioural dominance in male mice infected with *Trichinella spiralis* 319

HOOLE, D. and MITCHELL, J. B. *Gorgoderina vitelliloba*: an ultrastructural study on the development of the tegument from the metacercaria to the adult fluke 323

MINCHELLA, D. J. and LOVERDE, P. T. Laboratory comparison of the relative success of *Biomphalaria glabrata* stocks which are susceptible and insusceptible to infection with *Schistosoma mansoni* 335

INCANI, R. N. and MCLAREN, DIANE, J. Ultrastructural observations on the *in vitro* interaction of rat neutrophils with schistosomula of *Schistosoma mansoni* in the presence of antibody and/or complement 345

PART 3 JUNE 1983

MCDONALD, V. and BALLINGALL, S. Further investigation of the pathogenicity, immunogenicity and stability of precocious *Eimeria acervulina* 361

MCDONALD, V. and BALLINGALL, S. Attenuation of *Eimeria mivati* (= *mitis*) by selection for precocious development 371

JOYNER, L. P. and NORTON, C. C. *Eimeria mitis* in mixed infections with *E. acervulina* and *E. brunetti* in the fowl 381

FERNANDO, M. A., LAWN, A. M., ROSE, M. ELAINE and AL-ATTAR, M. A. Invasion of chicken caecal and intestinal lamina propria by crypt epithelial cells infected with coccidia 391

RICHARDS, K. SYLVIA, ARME, C. and BRIDGES, JANINE F. *Echinococcus granulosus equinus*: an ultrastructural study of the laminated layer, including changes on incubating cysts in various media 399

RICHARDS, K. SYLVIA, ARME, C. and BRIDGES, JANINE, F. *Echinococcus granulosus equinus*: an ultrastructural study of murine tissue response to hydatid cysts 407

PAINE, S. H., KEMP, D. H. and ALLEN, J. R. *In vitro* feeding of *Dermacentor andersoni* (Stiles): effects of histamine and other mediators . . 419

HARRISON, R. A. and DOENHOFF, M. J. Retarded development of *Schistosoma mansoni* in immunosuppressed mice 429

SHAW, M. K. and ERASMUS, D. A. *Schistosoma mansoni*: changes in elemental composition in relation to the age and sexual status of the worms . 439

KEYMER, ANNE, CROMPTON, D. W. T. and SAHAKIAN, B. J. Parasite-induced learned taste aversion involving *Nippostrongylus* in rats . . 455

KEYMER, ANNE, CROMPTON, D. W. T. and WALTERS, D. E. *Nippostrongylus* (Nematoda) in protein-malnourished rats: host mortality, morbidity and rehabilitation 461

LEE, D. L. and NICHOLLS, C. D. The use of plasma etching to reveal the internal structure of *Nippostrongylus brasiliensis* (Nematoda). . . 477

MARTIN, JEAN and LEE, D. L. *Nematodirus battus*: structure of the body wall of the adult 481

ADAMSON, M. L. Ultrastructural observations on oogenesis and shell formation in *Gyrinicola batrachiensis* (Walton, 1929) (Nematoda: Oxyurida) 489

TINSLEY, R. C. and EARLE, CELIA M. Invasion of vertebrate lungs by the polystomatid monogeneans *Pseudodiplorchis americanus* and *Neodiplorchis scaphiopodis*. 501

YOUNG, A. S., LEITCH, B. L., STAGG, D. A. and DOLAN, T. T. Identification of *Theileria* infections in living salivary glands of ticks 519

LOM, JIŘÍ, DYKOVÁ, IVA and PAVLÁSKOVÁ, MILENA. *Sphaerospora molnari* sp.nov. (Myxozoa: Myxosporea), an agent of gill, skin and blood sphaerosporosis of common carp in Europe 529

SHIMURA, S. Seasonal occurrence, sex ratio and site preference of *Argulus coregoni* Thorell (Crustacea: Branchiura) parasitic on cultured freshwater salmonids in Japan. 537

BOOK REVIEWS 553